L Number	Hits	Search Text	DB	Time stamp
-	6648	(combin\$7 near3 logic) and (ROM readonly read-only (read adj only))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/24 18:57
-	6474	binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/29 14:03
! -	597	((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)	US-PGPUB; EPO; JPO; DERWENT;	2003/04/29 14:03
¦ -    -	6474	(binary near3 logic\$2 near3 function) or (two near3 address near3 bit\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
-	155	(((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/29
-	500	(binary near2 value) (((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (mux	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/29 14:57
	136	multiplex\$3) and (decod\$3) ((((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (binary near2 value)) and (((combin\$7 near3 logic) and (ROM readonly read-only (read adj only))) and (binary near3 logic\$2 near3 function) (two near3 address near3 bit\$1)) and (mux	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:06
-	7	multiplex\$3) and (decod\$3)) (combin\$7 near2 logic) and (binary near3 logic\$2 near3 function) and ((two binary) near3 address near3 bit) and (logic\$2 near2 function) and (binary near3 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29
; ;	2	("4849904").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 14:18
-    -	1	10/172,590	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/29 14:58
! _   	1	((read adj only) adj3 data) near3 stor\$3 near3 (combinatorial adj2 logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/24
! _ i	1	((read adj only) adj3 data) with stor\$3 with (combinatorial adj2 logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/24

	17549	combin\$7 adj2 logic	USPAT;	2003/08/24
	1,019	Combiner adj2 Togic	US-PGPUB;	19:01
			EPO; JPO;	19.01
'	1		DERWENT;	'
l			IBM TDB	i
	2002	· · · · · · · · · · · · · · · · · · ·	_	2002 (00 (04
-	3003	combinatorial adj2 logic	USPAT;	2003/08/24
ļ	1		US-PGPUB;	19:01
	;		EPO; JPO;	:
!	į.		DERWENT;	<u>:</u>
;			IBM_TDB	
į -	l 59	( · · · · · · · · · · · · · · · · ·	USPAT;	2003/08/24
i		only) adj3 data)	US-PGPUB;	19:02
!	1	i	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	55	((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	1	adj only) adj3 data)) and (address near3	US-PGPUB;	19:02
1		bit)	EPO; JPO;	
}	i		DERWENT;	1
			IBM TDB	1
-	1	(((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	}	adj only) adj3 data)) and (address near3	US-PGPUB;	19:03
		bit)) and ((logic near3 function) same	EPO; JPO;	
		(address near3 bit))	DERWENT;	'
	ì		IBM TDB	l i
<u> </u>	! 27	(((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
	i	adj only) adj3 data)) and (address near3	US-PGPUB;	19:03
:		bit)) and (logic near3 function)	EPO; JPO;	
	]		DERWENT;	!
	1	İ	IBM TDB	
] -	1	((((combinatorial adj2 logic) and ((read	USPAT;	2003/08/24
		adj only) adj3 data)) and (address near3	US-PGPUB;	19:07
	!	bit)) and (logic near3 function)) and	EPO; JPO;	}
1	Ì	((read adj only) with (combinatorial adj	DERWENT;	
I	i	logic))	IBM TDB	
_	i 62	(read adj only) with (combinatorial adj	USPAT;	2003/08/24
•		logic)	US-PGPUB;	19:07
	1	, ,	EPO; JPO;	
	ļ		DERWENT;	:
		I	IBM TDB	i .
L	L		1	